


ITEM NO.	PRODUCT CODE	DESCRIPTION
1	NE-AG-5060-S	Enclosure 600x500x180mm Grey Lid hinged. Note: does not normally come pre drilled, please specify if you require drilled for a DIGICHEM-AB2-VB-CABG system
2	SP-SK-PE-1.3-G	Replacement SEKO PE-1.3 pump, supplied without any accessories. For more detailed drawing of individual pump parts see SEKO PE-1.3-FP-T Spares Drawing
3	SP-PCB-DIGI-XP2-M	DIGICHEM-XP2 Controller Replacement Motherboard only. (Does not include enclosure base to which circuit board is normally mounted. Does not include processor PCB which is fitted in lid of enclosure)
4	SP-PCB-DIGI-XP2-P-L	DIGICHEM-XP2 Replacement Processor Board, fitted to enclosure lid, ready to plug into motherboard and screw down onto enclosure base
4A	SP-PCB-DIGI-XP2-P	DIGICHEM-XP2 Spare Processor Board (Processor board only, to be fitted inside Optional enclosure lid)
5	SP-DCON-PB10AT-PL	1.5m TDS Probe Lead Only & IP68 Connector
5A	SP-DCON-P10AT-PL	Old Style TDS probe lead to suit TDS Probe SP-DCON-P10AT-P or DCON-P10AT-P, 1.5m long (Includes old style metal connector fitted to lead)
6	SP-PC-1	VUL 1" Low Dens PIPE CLIP
7	SP-M-AB2-VB-CABG	Manifold for Digichem system with Belimo valve - Includes Plastic PVC check valve and sample valve. Supplied without probe, actuated ball valve, injection valves, third injection point & horetails. For more detail refer to DIGICHEM-AB2-VB Manifold Assembly Drawing

	PRODUCT:	DIGICHEM-AB2-VB-CABG	Revision	1								
	DRAWING TYPE:	Spare Parts	SHEET SIZE	A3								
<table border="1"> <tr> <th>DATE</th> <th>Details</th> <th>ISSUED BY</th> <th>APPROVED BY</th> </tr> <tr> <td>17/06/2020</td> <td>Release Information</td> <td>luke</td> <td>LF</td> </tr> </table>	DATE	Details	ISSUED BY	APPROVED BY	17/06/2020	Release Information	luke	LF	DRAWING No:	DIGICHEM-AB2-VB-CABG_ASM	SHEET	1 OF 1
DATE	Details	ISSUED BY	APPROVED BY									
17/06/2020	Release Information	luke	LF									
NOTE	COPYRIGHT		SCALE	1:5								
Only use written dimensions. Dimensions are in Millimeters unless otherwise specified. Do not scale. If in doubt consult with Convergent Water Controls		The designs, concepts & specifications within this drawing are the property of Convergent Water Controls Pty Ltd. They must not be copied or reproduced wholly or in part without written consent from Convergent Water Controls Pty Ltd.										
FILE: C:\CWC\Library\Manufactured Products\System\Digichems\DIGICHEM-AB2-VB-CABG		MATERIAL: Misc		MASS: 11745.25 grams								

1 2 3 4 5 6 7 8

A
B
C
D
E
F



ITEM NO.	PRODUCT CODE	DESCRIPTION
1	SP-CV-INT-3/4	Internal Check valve cartridge
2	SP-DCON-PB10AT-P	Conductivity Probe Carbon Electrodes No Lead & IP68 Connector
2A	SP-DCON-P10AT-P	Old Style Conductivity Probe carbonelectrodes. No lead (Includes old style metalconnector)
3	SP-MBV-MF-1/2	Mini ball valve M/F 1/2"
4	TEFEN 6mmx1/2 HOSETAIL ELBOW	6mmx1/2" Hosetail Elbow
5	SANKING SL-O242007	Replacement 3/4" EPDM O-ring for Union End
6	BELIMO R215/LRU230	Actuated ball valve 1/2"
7	SP-SK-03A	0.1 bar injection valve
	SP-M-AB2-VB-CABG	DIGICHEM-AB2-VB-CABG Manifold - supplied withPVC check valve and sample point. Does not include TDS probe, solenoid valve, injection valves or hosetails



PRODUCT: DIGICHEM-AB2-VB Manifold

DRAWING TYPE: Spare Parts

DRAWING No: DIGICHEM-AB2-VB Manifold_ASM

DATE	Details	ISSUED BY	APPROVED BY
19/06/2020	Release Information	LF	LN

NOTE
Only use written dimensions. Dimensions are in Millimeters unless otherwise specified. Do not scale. If in doubt consult with Convergent Water Controls

COPYRIGHT
The designs, concepts & specifications within this drawing are the property of Convergent Water Controls Pty Ltd. They must not be copied or reproduced wholly or in part without written consent from Convergent Water Controls Pty Ltd.


FILE: C:\CWC\Library\Manufactured Products\Manifolds\DIGICHEM-AB2-VB Manifold

MATERIAL: Misc

MASS: 1902.15 grams

Revision 1
SHEET SIZE A3
SHEET 1 OF 1
SCALE 2:5

1 2 3 4



ITEM NO.	PRODUCT CODE	DESCRIPTION
1	SP-SK-08	SEKO Wall bracket for SEKO peristaltic pumps
2	SP-SK-06	Roller assembly with black chassis and 2 brown rollers. Roller diameter 11.8mm
3	SP-SK-01A-BK-TY	Squeeze tube, black Tygon A-60-G 3x7.4 mm with grey connectors for SEKO PE-1.3 or PE-0.4 peristaltic pumps that have SP-SK-06 rotor assembly
4	SP-SK-07-T-A-KIT	Kit containing new face plate, new bearing and 2 screws, suitable for 2015 or later model pumps. Also includes old type face plate in case pump is the old type PE-1.3 or PE-0.4. (Note: Screws not required for PE-0.4)
4A	SP-SK-10	Bearing for SEKO Transaxle Pump
5	SP-SK-02B-BK	SEKO Discharge tubing Black (2 metre roll, 6mm OD/4mm ID)
6	SP-SK-03A	Injection valve 1/2" BSP, to suit 4x6 tubing
7	SP-SK-04	SEKO Foot filter (supplied as either one-piece weighted PVDF assembly or as black PP filter with ceramic weight that slides over tube)
8	SP-SK-02A	SEKO Suction tubing Clear (2 metre roll, 6mm OD/4mm ID)

COMPATIBLE MODELS	
SEKO PE-0.4-FP	SEKO PE-0.4-FP-PLUG
SEKO PE-1.3-FP-T	SEKO PE-1.3-FP-T-PLUG




PRODUCT:	SEKO PE-1.3-FP-T	Revision	1
DRAWING TYPE:	Spare Parts	SHEET SIZE	A3
DRAWING No:	SEKO PE-1.3-FP-T_ASM	SHEET	1 OF 1
NOTE	COPYRIGHT The designs, concepts & specifications within this drawing are the property of Convergent Water Controls Pty Ltd. They must not be copied or reproduced wholly or in part without written consent from Convergent Water Controls Pty Ltd.		
FILE:	C:\CWC\Library\Products From Suppliers\SEKO\Seko Pumps - Spares Drawing	SCALE	1:2

DATE	Details	ISSUED BY	APPROVED BY
2/06/2020	Release Information	luke	LF

NOTE
Only use written dimensions. Dimensions are in Millimeters unless otherwise specified. Do not scale. If in doubt consult with Convergent Water Controls


MATERIAL: Misc

MASS: 327.68 grams



ITEM NO.	PRODUCT CODE	DESCRIPTION
1	NE-AG-5060-S	Enclosure 600x500x180mm Grey Lid hinged. Note: does not normally come pre drilled, please specify if you require drilled for a DIGICHEM-AB2-VB-CABG system
2	SP-SK-PE-1.3-G	Replacement SEKO PE-1.3 pump, supplied without any accessories. For more detailed drawing of individual pump parts see SEKO PE-1.3-FP-T Spares Drawing
3	SP-PCB-DIGI-XP2-M	DIGICHEM-XP2 Controller Replacement Motherboard only. (Does not include enclosure base to which circuit board is normally mounted. Does not include processor PCB which is fitted in lid of enclosure)
4	SP-PCB-DIGI-XP2-P-L	DIGICHEM-XP2 Replacement Processor Board, fitted to enclosure lid, ready to plug into motherboard and screw down onto enclosure base
4A	SP-PCB-DIGI-XP2-P	DIGICHEM-XP2 Spare Processor Board (Processor board only, to be fitted inside Optional enclosure lid)
5	SP-DCON-PB10AT-PL	1.5m TDS Probe Lead Only & IP68 Connector
5A	SP-DCON-P10AT-PL	Old Style TDS probe lead to suit TDS Probe SP-DCON-P10AT-P or DCON-P10AT-P, 1.5m long (Includes old style metal connector fitted to lead)
6	SP-PC-1	VUL 1" Low Dens PIPE CLIP
7	SP-M-AB2-VB-CABG	Manifold for Digichem system with Belimo valve - Includes Plastic PVC check valve and sample valve. Supplied without probe, actuated ball valve, injection valves, third injection point & hosetails. For more detail refer to DIGICHEM-AB2-VB Manifold Assembly Drawing

	PRODUCT:	DIGICHEM-AB2-VB-CABG	Revision	1								
	DRAWING TYPE:	Spare Parts - Wireframe	SHEET SIZE	A3								
<table border="1"> <tr> <th>DATE</th> <th>Details</th> <th>ISSUED BY</th> <th>APPROVED BY</th> </tr> <tr> <td>17/06/2020</td> <td>Release Information</td> <td>luke</td> <td>LF</td> </tr> </table>	DATE	Details	ISSUED BY	APPROVED BY	17/06/2020	Release Information	luke	LF	DRAWING No:	DIGICHEM-AB2-VB-CABG_ASM	SHEET	1 OF 1
DATE	Details	ISSUED BY	APPROVED BY									
17/06/2020	Release Information	luke	LF									
NOTE	COPYRIGHT		SCALE	1:5								
Only use written dimensions. Dimensions are in Millimeters unless otherwise specified. Do not scale. If in doubt consult with Convergent Water Controls		The designs, concepts & specifications within this drawing are the property of Convergent Water Controls Pty Ltd. They must not be copied or reproduced wholly or in part without written consent from Convergent Water Controls Pty Ltd.										
FILE: C:\CWC\Library\Manufactured Products\System\Digichems\DIGICHEM-AB2-VB-CABG		MATERIAL: Misc		MASS: 11745.25 grams								




ITEM NO.	PRODUCT CODE	DESCRIPTION
1	SP-CV-INT-3/4	Internal Check valve cartridge
2	SP-DCON-PB10AT-P	Conductivity Probe Carbon Electrodes No Lead & IP68 Connector
2A	SP-DCON-P10AT-P	Old Style Conductivity Probe carbonelectrodes. No lead (Includes old style metalconnector)
3	SP-MBV-MF-1/2	Mini ball valve M/F 1/2"
4	TEFEN 6mmx1/2 HOSETAIL ELBOW	6mmx1/2" Hosetail Elbow
5	SANKING SL-O242007	Replacement 3/4" EPDM O-ring for Union End
6	BELIMO R215/LRU230	Actuated ball valve 1/2"
7	SP-SK-03A	0.1 bar injection valve
	SP-M-AB2-VB-CABG	DIGICHEM-AB2-VB-CABG Manifold - supplied withPVC check valve and sample point. Does not include TDS probe, solenoid valve, injection valves or hosetails



PRODUCT:	DIGICHEM-AB2-VB Manifold	Revision	1
DRAWING TYPE:	Spare Parts - Wireframe	SHEET SIZE	A3
DRAWING No:	DIGICHEM-AB2-VB Manifold_ASM	SHEET	1 OF 1
DATE	19/06/2020	ISSUED BY	LF
Details	Release Information	APPROVED BY	LF
NOTE	Only use written dimensions. Dimensions are in Millimeters unless otherwise specified. Do not scale. If in doubt consult with Convergent Water Controls		
FILE:	C:\CWC\Library\Manufactured Products\Manifolds\DIGICHEM-AB2-VB Manifold		
MATERIAL:	Misc	MASS:	1902.15 grams
		SCALE	2:5

COPYRIGHT
The designs, concepts & specifications within this drawing are the property of Convergent Water Controls Pty Ltd. They must not be copied or reproduced wholly or in part without written consent from Convergent Water Controls Pty Ltd.



ITEM NO.	PRODUCT CODE	DESCRIPTION
1	SP-SK-08	SEKO Wall bracket for SEKO peristaltic pumps
2	SP-SK-06	Roller assembly with black chassis and 2 brown rollers. Roller diameter 11.8mm
3	SP-SK-01A-BK-TY	Squeeze tube, black Tygon A-60-G 3x7.4 mm with grey connectors for SEKO PE-1.3 or PE-0.4 peristaltic pumps that have SP-SK-06 rotor assembly
4	SP-SK-07-T-A-KIT	Kit containing new face plate, new bearing and 2 screws, suitable for 2015 or later model pumps. Also includes old type face plate in case pump is the old type PE-1.3 or PE-0.4. (Note: Screws not required for PE-0.4)
4A	SP-SK-10	Bearing for SEKO Transaxle Pump
5	SP-SK-02B-BK	SEKO Discharge tubing Black (2 metre roll, 6mm OD/4mm ID)
6	SP-SK-03A	Injection valve 1/2" BSP, to suit 4x6 tubing
7	SP-SK-04	SEKO Foot filter (supplied as either one-piece weighted PVDF assembly or as black PP filter with ceramic weight that slides over tube)
8	SP-SK-02A	SEKO Suction tubing Clear (2 metre roll, 6mm OD/4mm ID)

COMPATIBLE MODELS	
SEKO PE-0.4-FP	SEKO PE-0.4-FP-PLUG
SEKO PE-1.3-FP-T	SEKO PE-1.3-FP-T-PLUG



PRODUCT:	SEKO PE-1.3-FP-T	Revision	1
DRAWING TYPE:	Spare Parts - Wireframe	SHEET SIZE	A3
DRAWING No:	SEKO PE-1.3-FP-T_ASM	SHEET	1 OF 1
DATE	2/06/2020	ISSUED BY	luke
Details	Release Information	APPROVED BY	LF
NOTE	Only use written dimensions. Dimensions are in Millimeters unless otherwise specified. If in doubt consult with Convergent Water Controls		
FILE:	C:\CWC\Library\Products From Suppliers\SEKO\Seko Pumps - Spares Drawing		
MATERIAL:	Misc	MASS:	327.68 grams
		SCALE	1:2

COPYRIGHT
The designs, concepts & specifications within this drawing are the property of Convergent Water Controls Pty Ltd. They must not be copied or reproduced wholly or in part without written consent from Convergent Water Controls Pty Ltd.